





### NICKEL

#### OXIDE POWDER

Nanoparticles (NPs) are cluster of atoms having at least one dimension in the size range of 1–100 ☐ nm. Owing to their unique optical, magnetic, catalytic, and electrical properties, they have potential applications in various fields. The physicochemical properties of NPs are different as compared to those of their bulk counterparts owing to the fact that surface area to volume ratio increases and quantum effects become dominant as the size decreases. The increase in surface area to volume ratio alters the mechanical, catalytic, and thermal properties of material. Nickel oxide NPs find potential applications in various fields including electronics, magnetism, energy technology, and biomedicines. Due to their high reactivity, operational simplicity, and eco-

friendly properties they are used to catalyze various organic reactions including chemoselective oxidative coupling of thiol, reduction of aldehydes and ketones, hydrogenation of olefins, synthesis of stilbenes from alcohol through Wittig-type olefination, and A-alkylation of methyl ketone. They also catalyze certain inorganic reactions like decomposition of ammonia. One of their recent applications is their role in the fabrication of carbon nanotubes (CNTs). They also find environmental applications in the field of adsorption of hazardous dye and inorganic pollutants and thus play a vital role in the cleanliness of environment. Due to their good antibacterial and anti-inflammatory activities they are used in the field of biomedicine



### Quick FACTS

Product : Nickel Oxide Nanopowder

Stock No : NS6130-03-336 to NS6130-03-339

CAS : 1313-99-1

Color : Dark green/black/gray

Form : Powder












- In preparation of nickel cermet for the anode layer of solid oxide fuel cells
- In lithium nickel oxide cathodes for lithium ion micro batteries
- In electrochromic coatings, plastics and textiles
- In nanowires, nanofibers and specific alloy and catalyst applications
- As a catalyst and as anti-ferromagnetic layers
- In light weight structural components in aerospace
- Adhesive and coloring agents for enamels
- In active optical filters
- In ceramic structures

- In automotive rear-view mirrors with adjustable reflectance
- In cathode materials for alkaline batteries
- Electro chromic materials
- Energy efficient smart windows
- P-type transparent conductive films



### **Additional**

#### **Powder Characteristics**

Stock No.	Purity	APS
NS6130-03-336	99.9%	<80nm
NS6130-03-337	99.9%	10-20nm
NS6130-03-338	99.9%	100nm
NS6130-03-339	99.9%	200nm



















# **Technical**Specification

Molecular Formula	Molecular Weight	Density	Melting Point
NiO	74.692 g/mol	6.67 g/cm <sup>3</sup>	1955 °C

## **Chemical**Composition


Product	Weight Percent (nominal)		
	NiO	Other Metal	
Nickel Oxide Nanopowder	99.9%	750 ppm	

### **Properties**

- ✓ Chemical Symbol: NiO ✓ Group: Nickel 4/Oxygen 16
- ✓ CAS No.: 1313-99-1 ✓ Electronic Configuration: Nickel [Ar] 3d8 4s2Oxygen [He] 2s2 2p4

# Ordering Information and Stock Availability

- ✓ Product: Nickel Oxide Nanopowder
- ✓ Stock Availability: Available
- ✓ Distribution: Global
- ✓ Packing Sizes: 25Gms, 50Gms, 100Gms, 500Gms & Bulk Orders



#### **Handling** Recommendations

- ✓ Store in the original container in a dry location.
- ✓ Tumble contents prior to use to prevent segregation.
- Open containers should be stored in a drying oven to prevent moisturepickup.

#### Safety Recommendations

Download MSDS/SDS NS6130-03-336 to39 SDS

are available from the Nanoshel

Website at

https://www.nanoshel.com/sections/oxide-nanopowder



www.nanoshel.com | sales@nanoshel.com

Tel: +91 9779550077,9779238252





